

## AA SCREENING DETERMINATION

Of

### **Ballymore Eustace Trunk Main Repair (Colemanstown Leak Repairs), Co Dublin.**

In accordance with Article 6(3) of the EU Habitats Directive (Directive 92/43/EEC) and Regulation 42(1) of the European Communities (Birds and Natural Habitats) Regulations 2011 as amended, Uisce Éireann has undertaken Appropriate Assessment screening to assess, in view of best scientific knowledge and the conservation objectives of the site, if the project, individually or in combination with other plans or projects is likely to have a significant effect on European Site(s).

The scope of the proposed works include the repair of leaks on the Ballymore Eustace to Saggart gravity trunk main including the drainage and temporary storage of water during repair works at Colemanstown, Co. Dublin.

In this context, particular attention was paid to the European Sites listed below:


- Glenasmole Valley SAC (Site Code 001209)
- Wicklow Mountains SAC (Site Code 002122)
- Red Bog, Kildare SAC (000397)
- Rye Water Valley/Carton SAC (001398)
- South Dublin Bay SAC (000210)
- North Dublin Bay SAC
- Rockabill to Dalkey Island SAC (03000)
- Poulaphouca Reservoir SPA (004063)
- South Dublin Bay and River Tolka Estuary SPA (004024)
- North Bull Island SPA

In accordance with Regulation 42(7) of the European Communities (Birds and Natural Habitats) Regulations 2011 as amended, **Uisce Éireann has made a determination following screening that an Appropriate Assessment is not required** as the project is not directly connected with or necessary to the management of the sites as European site(s) and **as it can be excluded**, on the basis of objective information and in light of the conservation objectives of the relevant European Site(s), **that the project, individually or in combination with other plans and projects, would have a significant effect on a European Site.**

This determination is based on the nature, location, scale and duration of the proposed works, including any temporary works and excludes any consideration of mitigation measures.

Full records of the assessment, reports, surveys, consultations, and observations are held by the competent authority and available for public review as requested.

Signed:



**JOHN CASEY**

**CHIEF TECHNICAL ADVISOR**

**DATE: 02/07/2025**