

AA SCREENING DETERMINATION

Of

Source Protection Programme Works – Fedamore Water Treatment Plant, Co. Limerick


In accordance with Article 6(3) of the EU Habitats Directive (Directive 92/43/EEC) and Regulation 42(1) of the European Communities (Birds and Natural Habitats) Regulations 2011 as amended, Irish Water has undertaken Appropriate Assessment screening to assess, in view of best scientific knowledge and the conservation objectives of the European Site(s), if the project, individually or in combination with other plans or projects is likely to have a significant effect on a European Site(s). In this context, particular attention was paid to the European Site(s) listed below:

- *Tory Hill SAC (Site Code IE000439)*
- *The Lower River Shannon SAC (Site Code IE002165)*
- *River Shannon & River Fergus SPA (Site Code IE004077)*

In accordance with Regulation 42(7) of the European Communities (Birds and Natural Habitats) Regulations 2011 as amended, Irish Water has made a determination following screening that an Appropriate Assessment is not required as the project is not directly connected with or necessary to the management of the Site(s) as European Site(s) and as it can be concluded, on the basis of objective information, that the project, individually or in combination with other plans or projects is not likely to have a significant effect on the European Sites listed above.

This determination is based on the location, lack of direct hydrological or hydrogeological pathways, distance to European sites and the small scale of the proposed works.

Signed:



NEIL LENEHAN

ACTING CHIEF TECHNICAL AND SAFETY ADVISOR

DATE: 30/11/2020